

2016 Ryan White Services Report

Missing Data: Rates by Item

Data elements grouped by the weighted average Missing Rates across all providers.
The weighted averages are based on the number of required clients.

Average Missing Rate Less than 1 Percent:

Screened for Hep C Since HIV Diag.

Gender

HIV Risk Factor

Screened for Hep B Since HIV Diag.

Ethnicity

Transgender Subgroup

Outpatient/Ambulatory Care Visit Dates

Sex at Birth

HIV/AIDS Status

Screened for TB Since HIV Diag.

Birth Year

First Ambulatory Care Date

Average Missing Rate Greater than 1 Percent:

Data Element	Wtd. Avg. Missing Rate	Percent of Providers with a Missing Rate...					
		Exactly 0%	Between 0% and 5%	Between 5% and 10%	Between 10% and 25%	Between 25% and 50%	> 50%
Native Hawaiian/Pacific Islander Subgroup	32%	60%	0%	1%	4%	7%	28%
Asian Subgroup	25%	65%	2%	4%	5%	7%	17%
Hispanic Subgroup	13%	61%	10%	5%	7%	6%	12%
CD4 Tests	6%	14%	54%	16%	10%	3%	2%
Viral Load Tests	4%	16%	61%	13%	6%	3%	2%
Completed Hepatitis B Vaccine Series	4%	87%	4%	1%	2%	3%	3%
Received Cervical Pap Smear	3%	90%	3%	0%	2%	1%	3%
Pregnant	3%	93%	2%	1%	1%	1%	2%
HIV Risk Reduction Screening	3%	92%	3%	2%	2%	1%	1%
Screened for Substance Abuse	3%	91%	4%	1%	1%	1%	3%
Prescribed PCP Prophylaxis	3%	89%	4%	1%	1%	1%	4%
Screened for Mental Health	3%	91%	4%	1%	1%	1%	3%
Race	3%	69%	20%	4%	4%	2%	0%
Income – Percent of FPL	2%	76%	15%	4%	4%	1%	0%
Housing Status	2%	75%	18%	3%	2%	1%	1%
Vital Enrollment Status	2%	84%	12%	1%	1%	0%	0%
Screened for Syphilis	1%	87%	6%	2%	2%	1%	2%
Prescribed ART	1%	85%	9%	2%	2%	1%	1%
Health Insurance	1%	75%	19%	2%	2%	1%	1%

Services Delivered, HIV Diagnosis Year, First OAMC Visit Date After Positive HIV Test Date, and Confidential Confirmatory HIV Test Date data elements were excluded from the document due to unreliable completeness calculations.